

コメット1キロ粒剤 GS-2、GS-2W散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

(調節目盛:グループA大)

低速モード($\sim 1.0\text{m/s}$)

GS-2	植付株数/坪			
	40	50	60	70
4条植	5.3	4.8	4.3	3.8
5条植	5.8	5.3	4.8	4.3
6条植	6.8	5.8	5.3	4.8

GS-2W	植付株数/坪			
	40	50	60	70
7条植	6.3	5.3	4.8	4.3
8条植	6.8	5.8	4.8	4.3
10条植	7.8	6.8	5.8	5.3

中速モード($1.0\sim 1.5\text{m/s}$)

GS-2	植付株数/坪					
	40	50	60	70	80	90
4条植	6.8	6.3	5.8	5.3	4.8	4.3
5条植	7.3	6.8	6.3	5.8	5.3	4.8
6条植	8.3	7.3	6.8	6.3	5.8	5.3

GS-2W	植付株数/坪					
	40	50	60	70	80	90
7条植	7.8	6.8	6.3	5.8	5.3	4.8
8条植	8.3	7.3	6.3	5.8	5.8	5.3
10条植	9.3	8.3	7.3	6.8	6.3	5.8

高速モード($1.5\sim 1.85\text{m/s}$)

GS-2	植付株数/坪			
	60	70	80	90
4条植	7.3	6.8	6.3	5.8
5条植	7.8	7.3	6.8	6.3
6条植	8.3		7.3	6.8

GS-2W	植付株数/坪			
	60		80	90
7条植	7.8	7.3	6.8	6.3
8条植	7.8	7.3	7.3	6.8
10条植	8.8	8.3	7.8	7.3

コメント1キロ粒剤 こまきちゃんCS-10散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数			16	20	26
	株間	株/坪	目盛り	目盛り	目盛り
4 条 植	24	46	3.0	3.8	5.1
	21	50	2.6	3.3	4.4
	18	60	2.1	2.8	3.7
	16	70	1.9	2.4	3.3
	14	80	1.6	2.1	2.8
	13	85	1.4	1.9	2.6
	12	90	1.3	1.7	2.3
5 条 植	24	46	3.8	4.9	6.4
	21	50	3.3	4.2	5.6
	18	60	2.8	3.6	4.7
	16	70	2.4	3.1	4.2
	14	80	2.1	2.7	3.6
	13	85	1.9	2.5	3.3
	12	90	1.7	2.2	3.0
6 条 植	24	46	4.7	5.9	7.8
	21	50	4.0	5.1	6.8
	18	60	3.4	4.3	5.8
	16	70	3.0	3.8	5.1
	14	80	2.6	3.3	4.4
	13	85	2.3	3.0	4.1
	12	90	2.1	2.8	3.7
8 条 植	24	46	6.3	8.0	10.5
	21	50	5.5	7.0	9.2
	18	60	4.7	5.9	7.8
	16	70	4.1	5.2	6.9
	14	80	3.5	4.5	6.0
	13	85	3.3	4.2	5.5
	12	90	3.0	3.8	5.1
10 条 植	24	46	8.0	10.1	—
	21	50	7.0	8.8	11.5
	18	60	5.9	7.5	9.9
	16	70	5.2	6.6	8.7
	14	80	4.5	5.7	7.6
	13	85	4.2	5.3	7.0
	12	90	3.8	4.9	6.4

*この目安表は計算値です。実際の田植機には設定のない欄があります。

コメント1キロ粒剤 こまきちゃんCS-20散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数			16	20	26
	株間	株/坪	目盛り	目盛り	目盛り
4 条 植	24	46	2.5	3.1	4.0
	21	50	2.1	2.7	3.5
	18	60	1.8	2.3	3.0
	16	70	1.6	2.0	2.7
	14	80	1.4	1.8	2.3
	13	85	1.3	1.7	2.2
	12	90	1.2	1.5	2.0
5 条 植	24	46	3.1	3.8	5.0
	21	50	2.7	3.4	4.4
	18	60	2.3	2.9	3.7
	16	70	2.0	2.6	3.3
	14	80	1.8	2.2	2.9
	13	85	1.7	2.1	2.7
	12	90	1.5	1.9	2.5
6 条 植	24	46	3.7	4.5	6.0
	21	50	3.2	4.0	5.3
	18	60	2.8	3.5	4.5
	16	70	2.5	3.1	4.0
	14	80	2.1	2.7	3.5
	13	85	2.0	2.5	3.2
	12	90	1.8	2.3	3.0
8 条 植	24	46	4.9	6.2	8.0
	21	50	4.3	5.4	7.0
	18	60	3.7	4.6	6.0
	16	70	3.3	4.1	5.3
	14	80	2.9	3.6	4.7
	13	85	2.7	3.3	4.3
	12	90	2.5	3.1	4.0
10 条 植	24	46	6.2	7.7	10.0
	21	50	5.4	6.7	8.8
	18	60	4.6	5.8	7.5
	16	70	4.1	5.1	6.7
	14	80	3.6	4.5	5.8
	13	85	3.3	4.2	5.4
	12	90	3.1	3.8	5.0

*この目安表は計算値です。実際の田植機には設定のない欄があります。

コメント1キロ粒剤 こまきちゃんCS-30散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数			16	20	26
	株間	株/坪	目盛り	目盛り	目盛り
4 条 植	24	46	2.6	3.2	4.2
	21	50	2.2	2.8	3.7
	18	60	1.9	2.4	3.1
	16	70	1.7	2.1	2.8
	14	80	1.5	1.8	2.4
	13	85	1.3	1.7	2.2
	12	90	1.2	1.6	2.1
5 条 植	24	46	3.2	3.9	5.3
	21	50	2.8	3.5	4.6
	18	60	2.4	3.0	3.9
	16	70	2.1	2.7	3.5
	14	80	1.8	2.3	3.0
	13	85	1.7	2.1	2.8
	12	90	1.6	2.0	2.6
6 条 植	24	46	3.9	4.9	6.3
	21	50	3.4	4.2	5.5
	18	60	2.9	3.6	4.7
	16	70	2.6	3.2	4.2
	14	80	2.2	2.8	3.7
	13	85	2.1	2.6	3.4
	12	90	1.9	2.4	3.1
8 条 植	24	46	5.2	6.5	8.5
	21	50	4.5	5.7	7.4
	18	60	3.9	4.9	6.3
	16	70	3.4	4.3	5.6
	14	80	3.0	3.8	4.9
	13	85	2.8	3.5	4.6
	12	90	2.6	3.2	4.2
10 条 植	24	46	6.5	8.2	10.6
	21	50	5.7	7.1	9.3
	18	60	4.9	6.1	8.0
	16	70	4.3	5.4	7.1
	14	80	3.8	4.7	6.2
	13	85	3.5	4.4	5.7
	12	90	3.2	4.0	5.3

*この目安表は計算値です。実際の田植機には設定のない欄があります。

コメット1キロ粒剤 CS-100散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

		5条	6条	8条
株間	株/坪	目盛り	目盛り	目盛り
30	37	4.5	5.5	7.3
24	46	3.6	4.4	5.8
21	50	3.2	3.8	5.1
18	60	2.7	3.2	4.4
16	70	2.4	2.9	3.9
14	80	2.1	2.5	3.4

コメット1キロ粒剤 こまきちゃんSCS-10(井関)散布目安表

条間:30cm

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数			16	18	20	24	28
	株間	株/坪	目盛り	目盛り	目盛り	目盛り	目盛り
4 条 植	30	37			3.6	4.3	
	26	42			3.0	3.7	
	23	48			2.6	3.2	
	22	50			2.5	3.1	
	18	61			2.0	2.5	
	16	69			1.7	2.1	
	14	79			1.5	1.8	
5 条 植	30	37	3.6	4.0	4.5	5.5	6.5
	26	42	3.0	3.5	3.9	4.7	5.6
	23	48	2.6	3.0	3.4	4.1	4.9
	22	50	2.5	2.9	3.2	4.0	4.7
	18	61	2.0	2.3	2.6	3.2	3.8
	16	69	1.7	2.0	2.2	2.8	3.3
	14	79	1.5	1.7	1.9	2.4	2.8
6 条 植	30	37	4.3	4.9	5.5	6.7	7.9
	26	42	3.7	4.2	4.7	5.8	6.8
	23	48	3.2	3.7	4.1	5.1	6.0
	22	50	3.1	3.5	4.0	4.8	5.7
	18	61	2.5	2.8	3.2	3.9	4.6
	16	69	2.1	2.5	2.8	3.4	4.0
	14	79	1.8	2.1	2.4	2.9	3.5
7 条 植	30	37	5.1	5.8	6.5	7.9	9.3
	26	42	4.4	5.0	5.6	6.8	8.0
	23	48	3.8	4.4	4.9		7.0
	22	50	3.7	4.2	4.7	5.7	6.7
	18	61	2.9	3.3	3.8	4.6	5.4
	16	69	2.6	2.9	3.3	4.0	4.8
	14	79	2.2	2.5	2.8	3.5	4.1
8 条 植	30	37	5.9	6.7	7.5	9.1	10.8
	26	42	5.1	5.8	6.4	7.8	9.2
	23	48	4.4	5.1	5.7	6.9	8.1
	22	50	4.2	4.8	5.4	6.6	7.7
	18	61	3.4	3.9	4.3	5.3	6.2
	16	69	3.0	3.4	3.8	4.7	5.5
	14	79	2.6	2.9	3.3	4.0	4.8

*この目安表は計算値です。実際の田植機には設定のない欄があります。

コメット1キロ粒剤 こまきちゃんSCS-30(井関)散布目安表

条間:30cm

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数			16	18	20	24	28
	株間	株/坪	目盛り	目盛り	目盛り	目盛り	目盛り
4 条 植	30	37			3.0	3.6	
	26	42			2.6	3.1	
	23	48			2.3	2.8	
	22	50			2.2	2.6	
	18	61			1.8	2.1	
	16	69			1.6	1.9	
	14	79			1.4	1.6	
5 条 植	30	37	3.0	3.4	3.8	4.6	5.3
	26	42	2.6	2.9	3.3	3.9	4.6
	23	48	2.3	2.6	2.9	3.5	4.1
	22	50	2.2	2.5	2.7	3.3	3.9
	18	61	1.8	2.0	2.2	2.7	3.2
	16	69	1.6	1.8	2.0	2.4	2.8
	14	79	1.4	1.6	1.7	2.1	2.4
6 条 植	30	37	3.6	4.1	4.6	5.5	6.4
	26	42	3.1	3.5	3.9	4.7	5.5
	23	48	2.8	3.1	3.5	4.2	4.9
	22	50	2.6	3.0	3.3	4.0	4.7
	18	61	2.1	2.4	2.7	3.3	3.8
	16	69	1.9	2.1	2.4	2.9	3.4
	14	79	1.6	1.9	2.1	2.5	2.9
7 条 植	30	37	4.2	4.8	5.3	6.4	7.5
	26	42	3.7	4.1	4.6	5.5	6.5
	23	48	3.2	3.6	4.1	4.9	5.7
	22	50	3.1	3.5	3.9	4.7	5.5
	18	61	2.5	2.8	3.2	3.8	4.5
	16	69	2.2	2.5	2.8	3.4	4.0
	14	79	1.9	2.2	2.4	2.9	3.4
8 条 植	30	37	4.9	5.5	6.1	7.3	8.6
	26	42	4.0	4.7	5.3	6.3	7.4
	23	48	3.7	4.2	4.7	5.6	6.6
	22	50	3.5	4.0	4.4	5.4	6.3
	18	61	2.9	3.3	3.6	4.4	5.2
	16	69	2.6	2.9	3.2	3.9	4.5
	14	79	2.2	2.5	2.8	3.4	4.0

*この目安表は計算値です。実際の田植機には設定のない欄があります。

コメット 1キロ粒剤 SCS-100散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

	5条	6条	7条	8条
株間	目盛り	目盛り	目盛り	目盛り
Free	4.1	4.9	5.7	6.5

コメット1キロ粒剤 ヤンマーPSR 散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

株間cm	30	28	26	24	22	20	18	16	13	12
株数/坪	37	40	43	45	50	55	60	70	85	90
4条植	3.5	3.3	3.3	3.1	2.3	2.7	2.7	2.2	2.0	1.7
5条植	4.3	4.0	3.8	3.5	2.6	3.0	2.7	2.4	2.0	1.9
6条植	5.1	4.8	4.5	4.1	3.1	3.5	3.2	2.9	2.4	2.2
7条植	5.9	5.5	5.2	4.8	3.6	4.0	3.7	3.3	2.7	2.5
8条植	6.7	6.3	5.9	5.4	4.1	4.6	4.1	3.7	3.1	2.9

コメット1キロ粒剤 イノベーターⅡ 散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数			16	18	20	22	24	26	28	30
	株間	株/坪	目盛り	目盛り	目盛り	目盛り	目盛り	目盛り	目盛り	目盛り
4 条 植	24	46	4.6	4.8	5.1	5.3	5.5	5.8	6.0	6.2
	21	50	4.3	4.5	4.8	5.0	5.2	5.4	5.6	5.8
	18	60	4.0	4.2	4.4	4.6	4.8	5.0	5.2	5.4
	16	70	3.9	4.0	4.2	4.4	4.6	4.7	4.9	5.1
	13	85	3.6	3.7	3.9	4.0	4.2	4.3	4.5	4.6
	12	90	3.5	3.6	3.8	3.9	4.0	4.2	4.3	4.4
5 条 植	24	46	5.1	5.4	5.7	5.9	6.2	6.5	6.7	7.0
	21	50	4.8	5.0	5.3	5.5	5.8	6.0	6.3	6.5
	18	60	4.4	4.7	4.9	5.1	5.4	5.6	5.8	6.0
	16	70	4.2	4.4	4.6	4.9	5.1	5.3	5.5	5.7
	13	85	3.9	4.1	4.2	4.4	4.6	4.8	4.9	5.1
	12	90	3.8	3.9	4.1	4.3	4.4	4.6	4.8	4.9
6 条 植	24	46	5.5	5.9	6.2	6.5	6.8	7.1	7.4	7.7
	21	50	5.2	5.5	5.8	6.1	6.4	6.7	6.9	7.2
	18	60	4.8	5.1	5.4	5.6	5.9	6.1	6.4	6.6
	16	70	4.6	4.8	5.1	5.3	5.5	5.8	6.0	6.2
	13	85	4.2	4.4	4.6	4.8	5.0	5.2	5.4	5.6
	12	90	4.0	4.2	4.4	4.6	4.8	5.0	5.2	5.4
8 条 植	24	46	6.4	6.8	7.2	7.6	8.0	8.3	8.6	8.9
	21	50	6.0	6.4	6.7	7.1	7.4	7.7	8.0	8.3
	18	60	5.5	5.9	6.2	6.5	6.8	7.1	7.4	7.7
	16	70	5.2	5.5	5.8	6.1	6.4	6.7	7.0	7.2
	13	85	4.7	5.0	5.3	5.5	5.8	6.0	6.3	6.5
	12	90	4.6	4.8	5.1	5.3	5.5	5.8	6.0	6.2
10 条 植	24	46	7.2	7.7	8.1	8.5	8.9	9.2	9.5	9.8
	21	50	6.7	7.2	7.6	8.0	8.3	8.7	9.0	9.3
	18	60	6.2	6.6	7.0	7.4	7.7	8.0	8.3	8.6
	16	70	5.8	6.2	6.6	6.9	7.2	7.6	7.8	8.1
	13	85	5.3	5.6	5.9	6.2	6.5	6.8	7.0	7.3
	12	90	5.1	5.4	5.7	5.9	6.2	6.5	6.7	7.0

コメット1キロ粒剤 イノベーターⅡ MGT-800A 散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数			16	18	20	22	24	26	28	30
	株間	株/坪	目盛り	目盛り	目盛り	目盛り	目盛り	目盛り	目盛り	目盛り
4条植	30	37	2.4	2.7	3.0	3.3	3.6	3.9	4.1	4.4
	28	40	2.3	2.5	2.8	3.1	3.3	3.6	3.9	4.1
	26	42	2.1	2.4	2.6	2.9	3.1	3.4	3.6	3.9
	25	45	2.0	2.3	2.5	2.8	3.0	3.2	3.5	3.7
	22	50	1.8	2.0	2.2	2.4	2.7	2.9	3.1	3.3
	18	60	1.4	1.6	1.8	2.0	2.2	2.4	2.5	2.7
	16	70	1.3	1.4	1.6	1.8	1.9	2.1	2.3	2.4
	14	80	1.1	1.3	1.4	1.5	1.7	1.8	2.0	2.1
5条植	12	90	0.9	1.0	1.2	1.3	1.4	1.6	1.7	1.8
	30	37	3.0	3.4	3.7	4.1	4.4	4.7	5.0	5.3
	28	40	2.8	3.1	3.5	3.8	4.1	4.4	4.7	5.0
	26	42	2.6	2.9	3.2	3.6	3.9	4.1	4.4	4.7
	25	45	2.5	2.8	3.1	3.4	3.7	4.0	4.3	4.5
	22	50	2.2	2.5	2.8	3.0	3.3	3.6	3.8	4.1
	18	60	1.8	2.0	2.3	2.5	2.7	2.9	3.2	3.4
	16	70	1.6	1.8	2.0	2.2	2.4	2.6	2.8	3.0
6条植	14	80	1.4	1.6	1.8	1.9	2.1	2.3	2.5	2.6
	12	90	1.2	1.3	1.5	1.7	1.8	2.0	2.1	2.3
	30	37	3.6	4.0	4.4	4.8	5.1	5.5	5.8	6.2
	28	40	3.3	3.7	4.1	4.5	4.8	5.2	5.5	5.8
	26	42	3.1	3.5	3.9	4.2	4.5	4.9	5.2	5.5
	25	45	3.0	3.4	3.7	4.0	4.4	4.7	5.0	5.3
	22	50	2.7	3.0	3.3	3.6	3.9	4.2	4.5	4.8
	18	60	2.2	2.4	2.7	3.0	3.2	3.5	3.7	4.0
7条植	16	70	1.9	2.2	2.4	2.7	2.9	3.1	3.3	3.6
	14	80	1.7	1.9	2.1	2.3	2.5	2.8	2.9	3.2
	12	90	1.4	1.6	1.8	2.0	2.2	2.4	2.5	2.7
	30	37	4.1	4.6	5.0	5.5	5.8	6.2	6.6	7.0
	28	40	3.9	4.3	4.7	5.1	5.5	5.9	6.3	6.6
	26	42	3.6	4.0	4.4	4.8	5.2	5.6	5.9	6.2
	25	45	3.5	3.9	4.3	4.6	5.0	5.4	5.7	6.0
	22	50	3.1	3.5	3.8	4.1	4.5	4.8	5.1	5.4
8条植	18	60	2.5	2.8	3.2	3.5	3.7	4.0	4.3	4.6
	16	70	2.3	2.5	2.8	3.1	3.3	3.6	3.9	4.1
	14	80	2.0	2.2	2.5	2.7	2.9	3.2	3.4	3.6
	12	90	1.7	1.9	2.1	2.3	2.5	2.7	2.9	3.2
	30	37	4.6	5.1	5.6	6.1	6.5	6.9	7.3	7.7
	28	40	4.4	4.8	5.3	5.7	6.2	6.6	6.9	7.3
	26	42	4.1	4.5	5.0	5.4	5.9	6.2	6.6	6.9
	25	45	3.9	4.4	4.8	5.2	5.6	6.0	6.4	6.7
10条植	22	50	3.5	3.9	4.3	4.7	5.0	5.4	5.7	6.1
	18	60	2.9	3.2	3.6	3.9	4.2	4.5	4.9	5.1
	16	70	2.6	2.9	3.2	3.5	3.8	4.1	4.4	4.6
	14	80	2.3	2.5	2.8	3.1	3.4	3.6	3.9	4.1
	12	90	1.9	2.2	2.4	2.7	2.9	3.1	3.3	3.6
	30	37	5.6		6.7	7.2	7.7	8.1	8.5	8.9
	28	40	5.3	5.8	6.4	6.9	7.3	7.7	8.1	8.5
	26	42	5.0	5.5	6.0	6.5	6.9	7.3	7.7	7.2
10条植	25	45	4.8	5.3	5.9	6.3	6.7	7.1	7.5	7.9
	22	50	4.3	4.8	5.2	5.6	6.1	6.5	6.9	7.2
	18	60	3.6	4.0	4.4	4.8	5.1	5.5	5.8	6.2
	16	70	3.2	3.6	3.9	4.3	4.6	5.0	5.3	5.6
	14	80	2.8	3.2	3.5	3.8	4.1	4.4	4.7	5.0
	12	90	2.4	2.7	3.0	3.3	3.6	3.8	4.1	4.4