

## 銀河1キロ粒剤 GS-1、GS-1W散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。  
(調節目盛:グループC大)

GS-1	植付株数/坪				
	40	50	60	70	80
4条植	7.5	7.0	6.5	6.0	5.5
5条植	8.0	7.5	7.0	6.5	6.0
6条植	8.5	8.0	7.5	7.0	6.5

  

GS-1W	植付株数/坪				
	40	50	60	70	80
7条植	8.0	7.0	6.5	6.0	5.5
8条植	8.5	7.5	7.0	6.5	6.0
10条植	9.5	8.5	8.0	7.5	7.0

## 銀河1キロ粒剤 GS-2、GS-2W散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。。

(調節目盛:グループC大)

**低速モード**(~1.0m/s)

GS-2	植付株数/坪			
	40	50	60	70
4条植	7.5	7.0	6.5	6.0
5条植	8.0	7.5	7.0	6.5
6条植	8.5	8.0	7.5	7.0

GS-2W	植付株数/坪			
	40	50	60	70
7条植	8.0	7.0	6.5	6.0
8条植	8.5	7.5	7.0	6.5
10条植	9.5	8.5	8.0	7.5

**中速モード**(1.0~1.5m/s)

GS-2	植付株数/坪					
	40	50	60	70	80	90
4条植	9.0	8.5	8.0	7.5	7.0	6.5
5条植	9.5	9.0	8.5	8.0	7.5	7.0
6条植	10.0	9.5	9.0	8.5	8.0	7.5

GS-2W	植付株数/坪					
	40	50	60	70	80	90
7条植	9.5	8.5	8.0	7.5	7.0	6.5
8条植	10.0	9.0	8.5	8.0	7.5	7.0
10条植	11.0	10.0	9.5	9.0	8.5	8.0

**高速モード**(1.5~1.85m/s)

GS-2	植付株数/坪			
	60	70	80	90
4条植	9.5	9.0	8.5	8.0
5条植	10.0	9.5	9.0	8.5
6条植	10.5	10.0	9.5	9.0

GS-2W	植付株数/坪			
	60	70	80	90
7条植	9.5	9.0	8.5	8.0
8条植	10.0	9.5	9.0	8.5
10条植	-	10.5	10.0	9.5

## 銀河1キロ粒剤 こまきちゃんCS-10散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。。

横取り回数		16	20	26
	株間	株/坪	目盛り	目盛り
4 条植	24	46	3.1	4.0
	21	50	2.7	3.4
	18	60	2.2	2.9
	16	70	1.9	2.5
	14	80	1.6	2.1
	13	85	1.5	2.0
	12	90	1.4	1.8
5 条植	24	46	4.0	5.0
	21	50	3.4	4.4
	18	60	2.9	3.7
	16	70	2.5	3.2
	14	80	2.1	2.8
	13	85	2.0	2.6
	12	90	1.8	2.3
6 条植	24	46	4.8	6.1
	21	50	4.2	5.3
	18	60	3.5	4.5
	16	70	3.1	4.0
	14	80	2.7	3.4
	13	85	2.4	3.1
	12	90	2.2	2.9
8 条植	24	46	6.6	8.3
	21	50	5.7	7.2
	18	60	4.8	6.1
	16	70	4.2	5.4
	14	80	3.7	4.7
	13	85	3.4	4.3
	12	90	3.1	4.0
10 条植	24	46	8.3	10.5
	21	50	7.2	9.1
	18	60	6.1	7.7
	16	70	5.4	6.8
	14	80	4.7	5.9
	13	85	4.3	5.5
	12	90	4.0	5.0

\* この目安表は計算値です。実際の田植機には設定のない欄があります。

## 銀河1キロ粒剤 こまきちゃんCS-20散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。。

横取り回数		16	20	26
	株間	株/坪	目盛り	目盛り
4 条植	24	46	2.5	3.2
	21	50	2.2	2.8
	18	60	1.9	2.3
	16	70	1.7	2.1
	14	80	1.5	1.8
	13	85	1.4	1.7
	12	90	1.3	1.6
5 条植	24	46	3.2	4.0
	21	50	2.8	3.5
	18	60	2.4	3.0
	16	70	2.1	2.6
	14	80	1.8	2.3
	13	85	1.7	2.1
	12	90	1.6	2.0
6 条植	24	46	3.8	4.8
	21	50	3.3	4.2
	18	60	2.9	3.6
	16	70	2.5	3.2
	14	80	2.2	2.8
	13	85	2.1	2.6
	12	90	1.9	2.4
8 条植	24	46	5.1	6.4
	21	50	4.4	5.6
	18	60	3.8	4.8
	16	70	3.4	4.2
	14	80	3.0	3.7
	13	85	2.7	3.4
	12	90	2.5	3.2
10 条植	24	46	6.4	8.0
	21	50	5.6	7.0
	18	60	4.8	6.0
	16	70	4.2	5.3
	14	80	3.7	4.6
	13	85	3.4	4.3
	12	90	3.2	4.0

\* この目安表は計算値です。実際の田植機には設定のない欄があります。

## 銀河1キロ粒剤 こまきちゃんCS-30散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。.

横取り回数		16	20	26
	株間	株/坪	目盛り	目盛り
4 条植	24	46	2.6	3.3
	21	50	2.3	2.9
	18	60	2.0	2.5
	16	70	1.7	2.2
	14	80	1.5	1.9
	13	85	1.4	1.8
	12	90	1.3	1.6
5 条植	24	46	3.3	4.2
	21	50	2.9	3.6
	18	60	2.5	3.1
	16	70	2.2	2.7
	14	80	1.9	2.4
	13	85	1.8	2.2
	12	90	1.6	2.0
6 条植	24	46	4.0	5.0
	21	50	3.5	4.4
	18	60	3.0	3.7
	16	70	2.6	3.3
	14	80	2.3	2.9
	13	85	2.1	2.7
	12	90	2.0	2.5
8 条植	24	46	5.4	6.7
	21	50	4.7	5.9
	18	60	4.0	5.0
	16	70	3.5	4.4
	14	80	3.1	3.9
	13	85	2.9	3.6
	12	90	2.6	3.3
10 条植	24	46	6.7	8.4
	21	50	5.9	7.4
	18	60	5.0	6.3
	16	70	4.4	5.6
	14	80	3.9	4.9
	13	85	3.6	4.5
	12	90	3.3	4.2

\* この目安表は計算値です。実際の田植機には設定のない欄があります。

## 銀河 1キロ粒剤 CS-100散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。.

株間	株/坪	5条	6条	8条
		目盛り	目盛り	目盛り
30	37	4.8	5.8	7.7
24	46	3.8	4.6	6.2
21	50	3.3	4.0	5.4
18	60	2.9	3.4	4.6
16	70	2.5	3.0	4.1
14	80	2.2	2.7	3.6

## 銀河1キロ粒剤　こまきちゃんSCS-10(井関)散布目安表

条間:30cm

目安表の目盛りは最初に散布量を確認するための目安としてください。。

横取り回数	16	18	20	24	28
株間	株/坪	目盛り	目盛り	目盛り	目盛り

4 条 植	30	37		3.7	4.5	
	26	42		3.1	3.8	
	23	48		2.7	3.4	
	22	50		2.6	3.2	
	18	61		2.1	2.5	
	16	69		1.8	2.2	
	14	79		1.5	1.9	

5 条 植	30	37	3.7	4.2	4.7	5.7	6.7
	26	42	3.1	3.6	4.0	4.9	5.8
	23	48	2.7	3.1	3.5	4.3	5.1
	22	50	2.6	3.0	3.3	4.1	4.8
	18	61	2.1	2.4	2.7	3.3	3.9
	16	69	1.8	2.1	2.3	2.9	3.4
	14	79	1.5	1.7	2.0	2.5	2.9

6 条 植	30	37	4.5	5.1	5.7	6.9	8.2
	26	42	3.8	4.4	4.9	6.0	7.0
	23	48	3.4	3.8	4.3	5.2	.6.2
	22	50	3.2	3.6	4.1	5.0	5.9
	18	61	2.5	2.9	3.3	4.0	4.7
	16	69	2.2	2.5	2.9	3.5	4.2
	14	79	1.9	2.2	2.5	3.0	3.6

7 条 植	30	37	5.3	6.0	6.7	8.2	9.6
	26	42	4.5	5.2	5.8	7.0	8.2
	23	48	4.0	4.5	5.1	6.2	7.3
	22	50	3.8	4.3	4.8	5.9	6.9
	18	61	3.0	3.5	3.9	4.7	5.6
	16	69	2.7	3.0	3.4	4.2	4.9
	14	79	2.3	2.6	2.9	3.6	4.3

8 条 植	30	37	6.1	6.9	7.7	9.4	11.0
	26	42	5.3	6.0	6.7	8.1	9.5
	23	48	4.6	5.2	5.8	7.1	8.3
	22	50	4.4	5.0	5.6	6.8	8.0
	18	61	3.5	4.0	4.5	5.5	6.4
	16	69	3.1	3.5	4.0	4.8	5.7
	14	79	2.7	3.0	3.4	4.2	4.9

\* この目安表は計算値です。実際の田植機には設定のない欄があります。

銀河 1キロ粒剤 こまきちゃんSCS-30(井関)散布目安表

条間:30cm

目安表の目盛りは最初に散布量を確認するための目安としてください。。

横取り回数		16	18	20	24	28
	株間	株/坪	目盛り	目盛り	目盛り	目盛り

4 条 植	30	37			3.1	3.7
	26	42			2.7	3.2
	23	48			2.4	2.8
	22	50			2.3	2.7
	18	61			1.8	2.2
	16	69			1.6	2.0
	14	79			1.4	1.7

5 条 植	30	37	3.1	3.5	3.9	4.7	5.5
	26	42	2.7	3.0	3.4	4.1	4.8
	23	48	2.4	2.7	3.0	3.6	4.2
	22	50	2.3	2.5	2.8	3.4	4.0
	18	61	1.8	2.1	2.3	2.8	3.3
	16	69	1.6	1.8	2.0	2.5	2.9
	14	79	1.4	1.6	1.8	2.1	2.5

6 条 植	30	37	3.7	4.2	4.7	5.7	6.6
	26	42	3.2	3.6	4.1	4.9	5.7
	23	48	2.8	3.2	3.6	4.3	5.0
	22	50	2.7	3.1	3.4	4.1	4.8
	18	61	2.2	2.5	2.8	3.4	3.9
	16	69	2.0	2.2	2.5	3.0	3.5
	14	79	1.7	1.9	2.1	2.6	3.0

7 条 植	30	37	4.4	4.9	5.5	6.6	7.7
	26	42	3.8	4.3	4.8	5.7	6.7
	23	48	3.3	3.8	4.2	5.0	5.9
	22	50	3.2	3.6	4.0	4.8	5.6
	18	61	2.6	2.9	3.3	3.9	4.6
	16	69	2.3	2.6	2.9	3.5	4.1
	14	79	2.0	2.3	2.5	3.0	3.6

8 条 植	30	37	5.0	5.7	6.3	7.6	8.8
	26	42	4.3	4.9	5.4	6.5	7.7
	23	48	3.8	4.3	4.8	5.8	6.8
	22	50	3.7	4.1	4.6	5.5	6.5
	18	61	3.0	3.4	3.7	4.5	5.3
	16	69	2.6	3.0	3.3	4.0	4.7
	14	79	2.3	2.6	2.9	3.5	4.1

\* この目安表は計算値です。実際の田植機には設定のない欄があります。

## 銀河 1キロ粒剤 SCS-100散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。.

	5条	6条	7条	8条
株間	目盛り	目盛り	目盛り	目盛り
Free	4.0	4.7	5.6	6.3

## 銀河1キロ粒剤 ヤンマーPSR 散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。。

株間cm	30	28	26	24	22	20	18	16
株数/坪	37	40	43	45	50	55	60	70
4条植	3.7	3.4	3.4	3.2	3.0	2.8	2.8	2.4
5条植	4.5	4.2	3.9	3.7	3.4	3.1	2.8	2.6
6条植	5.3	5.0	4.6	4.3	4.0	3.7	3.3	3.0
7条植	6.1	5.7	5.4	5.0	4.6	4.2	3.8	3.4
8条植	6.9	6.5	6.1	5.6	5.2	4.8	4.3	3.9

## 銀河1キロ粒剤 イノベーターⅡ散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数		16	18	20	22	24	26	28	30	
	株間	株/坪	目盛り							
4 条植	24	46	4.4	4.7	5.0	5.3	5.5	5.8	6.1	6.3
	21	50	4.1	4.4	4.6	4.9	5.1	5.4	5.6	5.8
	18	60	3.8	4.1	4.3	4.5	4.7	4.9	5.1	5.3
	16	70	3.6	3.8	4.0	4.2	4.4	4.6	4.8	5.0
	13	85	3.3	3.5	3.6	3.8	4.0	4.1	4.3	4.5
	12	90	3.2	3.4	3.5	3.7	3.8	4.0	4.1	4.3
5 条植	24	46	5.0	5.3	5.7	6.0	6.3	6.6	6.9	7.2
	21	50	4.6	5.0	5.3	5.6	5.8	6.1	6.4	6.6
	18	60	4.3	4.6	4.8	5.1	5.3	5.6	5.8	6.1
	16	70	4.0	4.3	4.5	4.8	5.0	5.2	5.5	5.7
	13	85	3.6	3.9	4.1	4.3	4.5	4.7	4.9	5.0
	12	90	3.5	3.7	3.9	4.1	4.3	4.5	4.6	4.8
6 条植	24	46	5.5	5.9	6.3	6.7	7.0	7.3	7.6	7.9
	21	50	5.1	5.5	5.8	6.2	6.5	6.8	7.1	7.4
	18	60	4.7	5.0	5.3	5.6	5.9	6.2	6.5	6.8
	16	70	4.4	4.7	5.0	5.3	5.5	5.8	6.1	6.3
	13	85	4.0	4.2	4.5	4.7	4.9	5.2	5.4	5.6
	12	90	3.8	4.1	4.3	4.5	4.7	4.9	5.1	5.3
8 条植	24	46	6.6	7.0	7.4	7.8	8.2	8.5	8.8	9.1
	21	50	6.1	6.5	6.9	7.3	7.6	8.0	8.3	8.6
	18	60	5.5	5.9	6.3	6.7	7.0	7.3	7.6	7.9
	16	70	5.2	5.5	5.9	6.2	6.6	6.9	7.2	7.4
	13	85	4.6	4.9	5.2	5.5	5.8	6.1	6.4	6.6
	12	90	4.4	4.7	5.0	5.3	5.5	5.8	6.1	6.3
10 条植	24	46	7.4	7.9	8.4	8.8	9.1	9.4	9.7	9.9
	21	50	6.9	7.4	7.8	8.2	8.6	8.9	9.2	9.5
	18	60	6.3	6.8	7.2	7.6	7.9	8.3	8.6	8.9
	16	70	5.9	6.3	6.7	7.1	7.4	7.8	8.1	8.4
	13	85	5.2	5.6	5.9	6.3	6.6	6.9	7.2	7.5
	12	90	5.0	5.3	5.7	6.0	6.3	6.6	6.9	7.2

銀河1キロ粒剤 イノベーターII MGT-800A 散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数		16	18	20	22	24	26	28	30
	株間	株/坪	目盛り						
4 条植	30	37	2.7	3.0	3.3	3.7	4.0	4.3	4.6
	28	40	2.5	2.8	3.2	3.4	3.7	4.0	4.3
	26	42	2.4	2.6	2.9	3.2	3.5	3.8	4.0
	25	45	2.3	2.5	2.8	3.1	3.4	3.6	3.9
	22	50	2.0	2.3	2.5	2.7	3.0	3.2	3.5
	18	60	1.6	1.8	2.0	2.2	2.4	2.6	3.0
	16	70	1.4	1.6	1.8	2.0	2.2	2.3	2.7
	14	80	1.2	1.4	1.6	1.7	1.9	2.1	2.4
	12	90	1.0	1.2	1.3	1.5	1.6	1.7	2.0
5 条植	30	37	3.4	3.8	4.2	4.5	4.9	5.2	5.6
	28	40	3.2	3.5	3.9	4.2	4.6	4.9	5.3
	26	42	2.9	3.3	3.6	4.0	4.3	4.6	4.9
	25	45	2.8	3.2	3.5	3.8	4.2	4.5	4.8
	22	50	2.5	2.8	3.1	3.4	3.7	4.0	4.3
	18	60	2.0	2.3	2.5	2.8	3.0	3.3	3.8
	16	70	1.8	2.0	2.3	2.5	2.7	2.9	3.4
	14	80	1.6	1.8	2.0	2.2	2.4	2.6	3.0
	12	90	1.3	1.5	1.7	1.9	2.0	2.2	2.5
6 条植	30	37	4.0	4.4	4.9	5.3	5.7	6.1	6.5
	28	40	3.7	4.2	4.6	5.0	5.4	5.7	6.1
	26	42	3.5	3.9	4.3	4.7	5.0	5.4	5.7
	25	45	3.4	3.8	4.1	4.5	4.9	5.2	5.5
	22	50	3.0	3.3	3.7	4.0	4.4	4.7	5.0
	18	60	2.4	2.7	3.0	3.3	3.6	3.9	4.4
	16	70	2.2	2.4	2.7	3.0	3.2	3.5	4.0
	14	80	1.9	2.1	2.4	2.6	2.8	3.1	3.3
	12	90	1.6	1.8	2.0	2.2	2.4	2.6	3.0
7 条植	30	37	4.6	5.1	5.6	6.0	6.5	6.9	7.3
	28	40	4.3	4.8	5.3	5.7	6.1	6.5	6.9
	26	42	4.0	4.5	4.9	5.4	5.7	6.2	6.5
	25	45	3.9	4.3	4.8	5.2	5.6	6.0	6.3
	22	50	3.5	3.9	4.3	4.6	5.0	5.3	5.7
	18	60	2.8	3.2	3.5	3.9	4.2	4.5	4.8
	16	70	2.5	2.8	3.2	3.5	3.7	4.0	4.6
	14	80	2.2	2.5	2.8	3.0	3.3	3.6	3.8
	12	90	1.9	2.1	2.4	2.6	2.8	3.1	3.5
8 条植	30	37	5.2	5.7	6.2	6.7	7.2	7.6	8.0
	28	40	4.8	5.4	5.9	6.3	6.8	7.2	7.6
	26	42	4.6	5.0	5.5	6.0	6.5	6.8	7.2
	25	45	4.4	4.9	5.3	5.8	6.2	6.6	7.0
	22	50	3.9	4.3	4.8	5.2	5.6	6.0	6.3
	18	60	3.2	3.6	4.0	4.3	4.7	5.0	5.4
	16	70	2.9	3.2	3.6	3.9	4.2	4.6	4.8
	14	80	2.5	2.8	3.2	3.5	3.8	4.0	4.3
	12	90	2.2	2.4	2.7	3.0	3.2	3.5	4.0
10 条植	30	37	6.2	6.8	7.4	7.8	8.3	8.8	9.1
	28	40	5.9	6.5	7.0	7.5	8.0	8.4	8.8
	26	42	5.5	6.1	6.6	7.1	7.6	8.0	8.4
	25	45	5.3	5.9	6.5	6.9	7.4	7.8	8.2
	22	50	4.8	5.3	5.8	6.2	6.7	7.1	7.5
	18	60	4.0	4.4	4.9	5.3	5.7	6.1	6.4
	16	70	3.6	4.0	4.4	4.8	5.2	5.5	5.9
	14	80	3.2	3.5	3.9	4.3	4.6	4.9	5.3
	12	90	2.7	3.0	3.3	3.7	4.0	4.3	4.6