

クラー1キロ粒剤 こまきちゃんCS-10散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数		16	20	26	PTO	
	株間	株/坪	目盛り	目盛り	目盛り	
4 条 植	24	46	2.8	3.6	4.9	3.2
	21	50	2.4	3.1	4.2	2.8
	18	60	2.0	2.6	3.5	2.3
	16	70	1.8	2.3	3.1	2.0
	14	80	1.5	2.0	2.7	1.7
	13	85	1.4	1.8	2.5	1.6
	12	90	1.2	1.6	2.2	1.4
5 条 植	24	46	3.6	4.7	6.2	4.2
	21	50	3.1	4.0	5.4	3.6
	18	60	2.6	3.4	4.5	3.0
	16	70	2.3	3.0	4.0	2.6
	14	80	2.0	2.6	3.4	2.3
	13	85	1.8	2.3	3.2	2.1
	12	90	1.6	2.1	2.9	1.9
6 条 植	24	46	4.5	5.7	7.5	5.1
	21	50	3.9	4.9	6.5	4.4
	18	60	3.2	4.2	5.5	3.7
	16	70	2.8	3.6	4.9	3.2
	14	80	2.4	3.1	4.2	2.8
	13	85	2.2	2.9	3.9	2.6
	12	90	2.0	2.6	3.5	2.3
8 条 植	24	46	6.1	7.7	10.1	
	21	50	5.3	6.7	8.8	
	18	60	4.5	5.7	7.5	
	16	70	3.9	5.0	6.6	
	14	80	3.4	4.3	5.7	
	13	85	3.1	4.0	5.3	
	12	90	2.8	3.6	4.9	
10 条 植	24	46	8.7			
	21	50	7.6			
	18	60	6.4			
	16	70	5.7			
	14	80	4.9			
	13	85	4.5			
	12	90	4.2			

*この目安表は計算値です。実際の田植機には設定のない欄があります。

クラー1キロ粒剤 こまきちゃんCS-20散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数		16	20	26	PTO	
	株間	株/坪	目盛り	目盛り	目盛り	
4 条 植	30	37	2.9	3.7	4.8	3.3
	24	46	2.4	2.9	3.8	2.7
	21	50	2.1	2.6	3.4	2.3
	18	60	1.8	2.2	2.9	2.0
	16	70	1.6	2.0	2.6	1.8
	14	80	1.4	1.7	2.2	1.5
	13	85	1.3	1.6	2.1	1.4
	12	90	1.2	1.5	1.9	1.3
5 条 植	30	37	3.7	4.6	6.0	4.2
	24	46	2.9	3.7	4.8	3.3
	21	50	2.6	3.2	4.2	2.9
	18	60	2.2	2.8	3.6	2.5
	16	70	2.0	2.5	3.2	2.2
	14	80	1.7	2.1	2.8	1.9
	13	85	1.6	2.0	2.6	1.8
	12	90	1.5	1.8	2.4	1.7
6 条 植	30	37	4.4	5.5	7.2	5.0
	24	46	3.5	4.4	5.8	4.0
	21	50	3.1	3.9	5.0	3.5
	18	60	2.7	3.3	4.3	3.0
	16	70	2.4	2.9	3.8	2.7
	14	80	2.1	2.6	3.4	2.3
	13	85	1.9	2.4	3.1	2.2
	12	90	1.8	2.2	2.9	2.0
8 条 植	30	37	5.9	7.4	9.6	
	24	46	4.7	5.9	7.7	
	21	50	4.1	5.2	6.7	
	18	60	3.5	4.4	5.8	
	16	70	3.1	3.9	5.1	
	14	80	2.8	3.4	4.5	
	13	85	2.6	3.2	4.2	
	12	90	2.4	2.9	3.8	
10 条 植	30	37	8.3			
	24	46	6.7			
	21	50	5.8			
	18	60	5.0			
	16	70	4.4			
	14	80	3.9			
	13	85	3.6			
	12	90	3.3			

*この目安表は計算値です。実際の田植機には設定のない欄があります。

クラー 1キロ粒剤 こまきちゃんCS-30散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数		16	20	26	PTO	
	株間	株/坪	目盛り	目盛り	目盛り	
4 条 植	30	37	3.1	3.9	5.1	3.5
	24	46	2.4	3.1	4.0	2.8
	21	50	2.1	2.7	3.5	2.4
	18	60	1.8	2.3	3.0	2.1
	16	70	1.6	2.0	2.7	1.8
	14	80	1.4	1.8	2.3	1.6
	13	85	1.3	1.6	2.1	1.5
	12	90	1.2	1.5	2.0	1.3
5 条 植	30	37	3.9	4.9	6.3	4.4
	24	46	3.1	3.9	5.1	3.5
	21	50	2.7	3.4	4.4	3.0
	18	60	2.3	2.9	3.8	2.6
	16	70	2.0	2.6	3.3	2.3
	14	80	1.8	2.2	2.9	2.0
	13	85	1.6	2.1	2.7	1.8
	12	90	1.5	1.9	2.5	1.7
6 条 植	30	37	4.7	5.8	7.6	5.3
	24	46	3.7	4.7	6.1	4.2
	21	50	3.2	4.1	5.3	3.7
	18	60	2.8	3.5	4.5	3.1
	16	70	2.4	3.1	4.0	2.8
	14	80	2.1	2.7	3.5	2.4
	13	85	2.0	2.5	3.3	2.2
	12	90	1.8	2.3	3.0	2.1
8 条 植	30	37	6.2	7.8	10.2	
	24	46	5.0	6.2	8.1	
	21	50	4.3	5.5	7.1	
	18	60	3.7	4.7	6.1	
	16	70	3.3	4.1	5.4	
	14	80	2.9	3.6	4.7	
	13	85	2.7	3.3	4.4	
	12	90	2.4	3.1	4.0	
10 条 植	30	37	8.8			
	24	46	7.0			
	21	50	6.1			
	18	60	5.3			
	16	70	4.7			
	14	80	4.1			
	13	85	3.8			
	12	90	3.5			

*この目安表は計算値です。実際の田植機には設定のない欄があります。

クラール 1キロ粒剤 CS-100散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

		5条	6条	8条
株間	株/坪	目盛り	目盛り	目盛り
30	37	4.4	5.3	7.1
24	46	3.5	4.3	5.7
21	50	3.1	3.7	5.0
18	60	2.6	3.2	4.3
16	70	2.3	2.8	3.8
14	80	2.0	2.4	3.3

クラー1キロ粒剤 こまきちゃんSCS-10(井関)散布目安表

条間:30cm

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数		16	18	20	24	28	
	株間	株/坪	目盛り	目盛り	目盛り	目盛り	
4 条 植	30	37			3.4	4.2	
	26	42			2.9	3.5	
	23	48			2.5	3.1	
	22	50			2.4	2.9	
	18	61			1.9	2.3	
	16	69			1.6	2.0	
	14	79			1.4	1.7	
5 条 植	30	37	3.4	3.9	4.3	5.3	6.2
	26	42	2.9	3.3	3.7	4.5	5.4
	23	48	2.5	2.9	3.2	4.0	4.7
	22	50	2.4	2.7	3.1	3.8	4.5
	18	61	1.9	2.2	2.5	3.0	3.6
	16	69	1.6	1.9	2.1	2.6	3.1
	14	79	1.4	1.6	1.8	2.3	2.7
6 条 植	30	37	4.2	4.7	5.3	6.4	7.6
	26	42	3.5	4.0	4.5	5.5	6.5
	23	48	3.1	3.5	4.0	4.8	5.7
	22	50	2.9	3.4	3.8	4.6	5.4
	18	61	2.3	2.7	3.0	3.7	4.4
	16	69	2.0	2.3	2.6	3.2	3.9
	14	79	1.7	2.0	2.3	2.8	3.3
7 条 植	30	37	4.9	5.6	6.2	7.6	8.9
	26	42	4.2	4.8	5.4	6.5	7.6
	23	48	3.7	4.2	4.7	5.7	6.7
	22	50	3.5	4.0	4.5	5.4	6.4
	18	61	2.8	3.2	3.6	4.4	5.2
	16	69	2.4	2.8	3.1	3.9	4.6
	14	79	2.1	2.4	2.7	3.3	3.9
8 条 植	30	37	5.7	6.4	7.2	8.7	10.2
	26	42	4.9	5.5	6.2	7.5	8.8
	23	48	4.3	4.8	5.4	6.6	7.7
	22	50	4.1	4.6	5.2	6.3	7.4
	18	61	3.2	3.7	4.2	5.1	6.0
	16	69	2.8	3.2	3.6	4.5	5.3
	14	79	2.4	2.8	3.1	3.9	4.6

*この目安表は計算値です。実際の田植機には設定のない欄があります。

クラー1キロ粒剤 こまきちゃんSCS-30(井関)散布目安表

条間:30cm

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数		16	18	20	24	28	
	株間	株/坪	目盛り	目盛り	目盛り	目盛り	
4 条 植	30	37			2.9	3.5	
	26	42			2.5	3.0	
	23	48			2.2	2.6	
	22	50			2.1	2.5	
	18	61			1.7	2.1	
	16	69			1.5	1.8	
	14	79			1.3	1.6	
5 条 植	30	37	2.9	3.3	3.6	4.4	5.1
	26	42	2.5	2.8	3.1	3.8	4.4
	23	48	2.2	2.5	2.8	3.3	3.9
	22	50	2.1	2.4	2.6	3.2	3.7
	18	61	1.7	1.9	2.1	2.6	3.0
	16	69	1.5	1.7	1.9	2.3	2.7
	14	79	1.3	1.5	1.6	2.0	2.3
6 条 植	30	37	3.5	3.9	4.4	5.3	6.1
	26	42	3.0	3.4	3.8	4.5	5.3
	23	48	2.6	3.0	3.3	4.0	4.7
	22	50	2.5	2.9	3.2	3.8	4.5
	18	61	2.1	2.3	2.6	3.1	3.7
	16	69	1.8	2.0	2.3	2.8	3.2
	14	79	1.6	1.8	2.0	2.4	2.8
7 条 植	30	37	4.1	4.6	5.1	6.1	7.2
	26	42	3.5	4.0	4.4	5.3	6.2
	23	48	3.1	3.5	3.9	4.7	5.5
	22	50	3.0	3.3	3.7	4.5	5.2
	18	61	2.4	2.7	3.0	3.7	4.3
	16	69	2.1	2.4	2.7	3.2	3.8
	14	79	1.9	2.1	2.3	2.8	3.3
8 条 植	30	37	4.7	5.3	5.8	7.0	8.2
	26	42	4.0	4.5	5.1	6.1	7.1
	23	48	3.6	4.0	4.5	5.4	6.3
	22	50	3.4	3.8	4.3	5.1	6.0
	18	61	2.8	3.1	3.5	4.2	4.9
	16	69	2.4	2.8	3.1	3.7	4.3
	14	79	2.1	2.4	2.7	3.2	3.8

*この目安表は計算値です。実際の田植機には設定のない欄があります。

クラール 1キロ粒剤 SCS-100散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

	5条	6条	7条	8条
株間	目盛り	目盛り	目盛り	目盛り
Free	3.7	4.4	5.2	5.9

クラー1キロ粒剤 ヤンマーPSR 散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

株間cm	30	28	26	24	22	20	18	16	13	12
株数/坪	37	40	43	45	50	55	60	70	80	90
4条植	2.7	2.5	2.3	2.2	2.0	1.7	1.6	1.3	1.1	1.0
5条植	3.5	3.2	3.0	2.8	2.5	2.3	2.0	1.7	1.5	1.3
6条植	4.3	3.9	3.6	3.4	3.1	2.8	2.5	2.1	1.8	1.6
7条植	5.1	4.7	4.3	4.1	3.6	3.3	3.0	2.5	2.2	1.9
8条植	5.9	5.4	5.0	4.7	4.2	3.8	3.5	2.9	2.5	2.2

クラー1キロ粒剤 イノベーターⅡ MGT-800A 散布目安表

目安表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数		16	18	20	22	24	26	28	30	
	株間	株/坪	目盛り	目盛り	目盛り	目盛り	目盛り	目盛り	目盛り	
4 条 植	30	37	2.3	2.6	2.9	3.2	3.5	3.8	4.0	4.3
	28	40	2.1	2.4	2.7	3.0	3.2	3.5	3.8	4.0
	26	42	2.0	2.2	2.5	2.8	3.0	3.3	3.5	3.8
	25	45	1.9	2.1	2.4	2.6	2.9	3.1	3.4	3.6
	22	50	1.6	1.9	2.1	2.3	2.5	2.8	3.0	3.2
	18	60	1.3	1.5	1.6	1.8	2.0	2.2	2.4	2.6
	16	70	1.1	1.3	1.4	1.6	1.8	1.9	2.1	2.3
	14	80	0.9	1.1	1.2	1.4	1.5	1.7	1.8	2.0
12	90	0.7	0.9	1.0	1.1	1.3	1.4	1.5	1.6	
5 条 植	30	37	2.9	3.3	3.6	4.0	4.3	4.6	5.0	5.3
	28	40	2.7	3.0	3.4	3.7	4.0	4.3	4.7	5.0
	26	42	2.5	2.8	3.1	3.5	3.8	4.0	4.4	4.6
	25	45	2.4	2.7	3.0	3.3	3.6	3.9	4.2	4.5
	22	50	2.1	2.4	2.6	2.9	3.2	3.5	3.7	4.0
	18	60	1.6	1.9	2.1	2.4	2.6	2.8	3.0	3.3
	16	70	1.4	1.6	1.9	2.1	2.3	2.5	2.7	2.9
	14	80	1.2	1.4	1.6	1.8	2.0	2.1	2.3	2.5
12	90	1.0	1.2	1.3	1.5	1.6	1.8	2.0	2.1	
6 条 植	30	37	3.5	3.9	4.3	4.7	5.1	5.4	5.8	6.1
	28	40	3.2	3.6	4.0	4.4	4.8	5.1	5.5	5.8
	26	42	3.0	3.4	3.8	4.1	4.5	4.8	5.1	5.4
	25	45	2.9	3.3	3.6	3.9	4.3	4.6	4.9	5.2
	22	50	2.5	2.9	3.2	3.5	3.8	4.1	4.4	4.7
	18	60	2.0	2.3	2.6	2.9	3.1	3.4	3.6	3.9
	16	70	1.8	2.0	2.3	2.5	2.8	3.0	3.2	3.5
	14	80	1.5	1.8	2.0	2.2	2.4	2.6	2.8	3.0
12	90	1.3	1.5	1.6	1.8	2.0	2.2	2.4	2.6	
7 条 植	30	37	4.0	4.5	5.0	5.4	5.8	6.2	6.6	7.0
	28	40	3.8	4.2	4.7	5.1	5.5	5.9	6.2	6.6
	26	42	3.5	4.0	4.4	4.8	5.1	5.5	5.9	6.2
	25	45	3.4	3.8	4.2	4.6	5.0	5.3	5.7	6.0
	22	50	3.0	3.4	3.7	4.1	4.4	4.7	5.1	5.4
	18	60	2.4	2.7	3.0	3.4	3.6	4.0	4.2	4.5
	16	70	2.1	2.4	2.7	3.0	3.2	3.5	3.8	4.0
	14	80	1.8	2.1	2.3	2.6	2.8	3.1	3.3	3.5
12	90	1.5	1.8	2.0	2.2	2.4	2.6	2.8	3.0	
8 条 植	30	37	4.6	5.1	5.6	6.1	6.5	6.9	7.3	7.7
	28	40	4.3	4.8	5.3	5.7	6.1	6.5	6.9	7.3
	26	42	4.0	4.5	4.9	5.4	5.8	6.2	6.5	6.9
	25	45	3.8	4.3	4.7	5.2	5.6	6.0	6.3	6.7
	22	50	3.4	3.8	4.2	4.6	5.0	5.4	5.7	6.1
	18	60	2.8	3.1	3.5	3.8	4.1	4.5	4.8	5.1
	16	70	2.4	2.8	3.1	3.4	3.7	4.0	4.3	4.6
	14	80	2.1	2.4	2.7	3.0	3.3	3.5	3.8	4.0
12	90	1.8	2.0	2.3	2.5	2.8	3.0	3.2	3.5	
10 条 植	30	37	5.6	6.2	6.7	7.2	7.7	8.1	8.5	8.9
	28	40	5.3	5.8	6.3	6.8	7.3	7.7	8.1	8.5
	26	42	4.9	5.5	6.0	6.5	6.9	7.3	7.7	7.2
	25	45	4.7	5.3	5.9	6.3	6.7	7.1	7.5	7.9
	22	50	4.2	4.7	5.2	5.6	6.0	6.5	6.9	7.2
	18	60	3.5	3.9	4.3	4.7	5.1	5.4	5.8	6.1
	16	70	3.1	3.5	3.8	4.2	4.6	4.9	5.2	5.6
	14	80	2.7	3.0	3.4	3.7	4.0	4.3	4.7	5.0
12	90	2.3	2.6	2.9	3.2	3.5	3.7	4.0	4.3	