

## 流星1キロ粒剤 こまきちゃんCS-10散布目安表

目盛り表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数		16	20	26	30	PTO
	株間	株/坪	目盛り	目盛り	目盛り	目盛り
4 条植	30	37	3.7	4.7	6.2	4.0
	24	46	2.9	3.7	4.9	3.3
	21	50	2.4	3.2	4.2	2.8
	18	60	2.0	2.7	3.6	2.3
	16	70	1.8	2.3	3.1	2.0
	14	80	1.5	2.0	2.7	1.7
	13	85	1.4	1.8	2.5	1.6
	12	90	1.2	1.6	2.2	1.4
5 条植	30	37	4.7	5.9	7.8	5.3
	24	46	3.7	4.7	6.2	4.2
	21	50	3.2	4.0	5.4	3.6
	18	60	2.7	3.4	4.5	3.0
	16	70	2.3	3.0	4.0	2.7
	14	80	2.0	2.6	3.5	2.6
	13	85	1.8	2.4	3.2	2.1
	12	90	1.6	2.1	2.9	1.9
6 条植	30	37	5.7	7.2	9.5	6.4
	24	46	4.5	5.7	7.5	5.4
	21	50	3.9	4.9	6.5	4.4
	18	60	3.3	4.2	5.5	3.0
	16	70	2.9	3.7	4.9	3.6
	14	80	2.4	3.2	4.2	2.8
	13	85	2.2	2.9	3.9	2.3
	12	90	2.0	2.7	3.6	2.3
8 条植	30	37	7.7	9.7	12.8	
	24	46	6.4	7.7	10.1	
	21	50	5.3	6.7	8.8	
	18	60	4.5	5.7	7.5	
	16	70	3.9	5.0	6.6	
	14	80	3.4	4.3	5.8	
	13	85	3.1	4.0	5.3	
	12	90	2.9	3.7	4.9	
10 条植	30	37	11.0			
	24	46	8.7			
	21	50	7.6			
	18	60	6.4			
	16	70	5.7			
	14	80	4.9			
	13	85	4.5			
	12	90	4.2			

\* この目安表は計算値です。実際の田植機には設定のない欄があります。

## 流星1キロ粒剤 こまきちゃんCS-20散布目安表

目盛り表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数		16	20	26	30	PTO
	株間	株/坪	目盛り	目盛り	目盛り	目盛り
4 条植	30	37	3.0	3.7	4.8	3.3
	24	46	2.4	3.0	3.9	2.7
	21	50	2.1	2.6	3.4	2.3
	18	60	1.8	2.2	2.9	2.0
	16	70	1.6	2.0	2.6	1.8
	14	80	1.4	1.7	2.2	1.5
	13	85	1.3	1.6	2.1	1.4
	12	90	1.2	1.5	1.9	1.3
5 条植	30	37	3.7	4.6	6.0	4.2
	24	46	3.0	3.7	4.8	3.3
	21	50	2.6	3.2	4.2	2.9
	18	60	2.2	2.8	3.6	2.5
	16	70	2.0	2.5	3.2	2.2
	14	80	1.7	2.2	2.8	1.9
	13	85	1.6	2.0	2.6	1.8
	12	90	1.5	1.8	2.4	1.7
6 条植	30	37	4.4	5.6	7.2	5.0
	24	46	3.6	4.4	5.8	4.0
	21	50	3.1	3.9	5.1	3.5
	18	60	2.7	3.3	4.3	3.0
	16	70	2.4	3.0	3.9	2.7
	14	80	2.1	2.6	3.4	2.3
	13	85	1.9	2.4	3.1	2.2
	12	90	1.8	2.2	2.9	2.0
8 条植	30	37	5.9	7.4	9.7	
	24	46	4.7	5.9	7.7	
	21	50	4.1	5.2	6.8	
	18	60	3.6	4.4	5.8	
	16	70	3.2	4.0	5.4	
	14	80	2.8	3.5	4.5	
	13	85	2.6	3.2	4.2	
	12	90	2.4	3.0	3.9	
10 条植	30	37	8.4			
	24	46	6.7			
	21	50	5.8			
	18	60	5.0			
	16	70	4.4			
	14	80	3.9			
	13	85	3.6			
	12	90	3.3			

\* この目安表は計算値です。実際の田植機には設定のない欄があります。

## 流星 1キロ粒剤　こまきちゃんCS-30散布目安表

目盛り表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数		16	20	26	30	PTO
4 条植	株間	株/坪	目盛り	目盛り	目盛り	目盛り
	30	37	3.7	4.7	6.2	3.5
	24	46	2.9	3.7	4.9	2.8
	21	50	2.1	3.2	4.2	2.4
	18	60	1.8	2.7	3.6	2.1
	16	70	1.6	2.3	3.1	1.8
	14	80	1.4	2.0	2.7	1.6
	13	85	1.3	1.8	2.5	1.5
	12	90	1.2	1.6	2.2	1.3
5 条植	30	37	4.7	5.9	7.8	4.4
	24	46	3.7	4.7	6.2	3.5
	21	50	3.2	4.0	5.4	3.0
	18	60	2.7	3.4	4.5	2.6
	16	70	2.3	3.0	4.0	2.3
	14	80	2.0	2.6	3.5	2.0
	13	85	1.8	2.4	3.2	1.8
	12	90	1.6	2.1	2.9	1.7
6 条植	30	37	5.7	7.2	9.5	5.3
	24	46	4.5	5.7	7.5	4.0
	21	50	3.9	4.9	6.5	3.7
	18	60	3.3	4.2	5.5	3.1
	16	70	2.9	3.9	4.9	2.8
	14	80	2.4	3.2	4.0	2.4
	13	85	2.2	2.9	3.9	2.2
	12	90	2.0	2.7	3.6	2.1
8 条植	30	37	7.7	9.7	12.8	
	24	46	6.1	7.7	10.1	
	21	50	5.3	6.7	8.8	
	18	60	4.5	5.7	7.5	
	16	70	3.9	5.0	6.6	
	14	80	3.4	4.3	5.8	
	13	85	3.1	4.0	5.3	
	12	90	2.9	3.7	4.9	
10 条植	30	37	8.8			
	24	46	7.1			
	21	50	3.2			
	18	60	5.3			
	16	70	4.7			
	14	80	4.1			
	13	85	3.8			
	12	90	3.5			

\* この目安表は計算値です。実際の田植機には設定のない欄があります。

## 流星 1キロ粒剤 CS-100散布目安表

目盛り表の目盛りは最初に散布量を確認するための目安としてください。

株間	株/坪	5条	6条	8条
		目盛り	目盛り	目盛り
30	37	4.3	5.1	6.9
24	46	3.4	4.1	5.5
21	50	3.0	3.6	4.8
18	60	2.5	3.1	4.1
16	70	2.2	2.7	3.6
14	80	1.9	2.4	3.2

**流星1キロ粒剤 こまきちゃんSCS-10(井関)散布目安表**

条間: 30cm

目盛り表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数		16	18	20	24	28
4 条植	株間	株/坪	目盛り	目盛り	目盛り	目盛り
	30	37		3.4	4.2	
	26	42		2.9	3.6	
	23	48		2.5	3.1	
	22	50		2.4	3.0	
	18	61		1.9	2.3	
	16	69		1.6	2.0	
	14	79		1.4	1.7	
5 条植	30	37	3.4	3.9	4.4	5.3
	26	42	2.9	3.3	3.7	4.5
	23	48	2.5	2.9	3.3	4.0
	22	50	2.4	2.7	3.1	3.8
	18	61	1.9	2.2	2.5	3.0
	16	69	1.6	1.9	2.1	2.7
	14	79	1.4	1.6	1.8	2.3
6 条植	30	37	4.2	4.7	5.3	6.4
	26	42	3.6	4.1	4.5	5.5
	23	48	3.1	3.5	4.0	4.9
	22	50	3.0	3.4	3.8	4.6
	18	61	2.3	2.7	3.0	3.7
	16	69	2.0	2.3	2.7	3.3
	14	79	1.7	2.0	2.3	2.8
7 条植	30	37	4.9	5.6	6.3	7.6
	26	42	4.2	4.8	5.4	6.5
	23	48	3.7	4.2	4.7	5.7
	22	50	3.5	4.0	4.5	5.5
	18	61	2.8	3.2	3.6	4.4
	16	69	2.4	2.8	3.2	3.9
	14	79	2.1	2.4	2.7	3.3
8 条植	30	37	5.7	6.4	7.2	8.9
	26	42	4.9	5.5	6.2	7.5
	23	48	4.3	4.9	5.4	6.6
	22	50	4.1	4.6	5.2	6.3
	18	61	3.3	3.7	4.2	5.1
	16	69	2.9	3.3	3.7	4.5
	14	79	2.4	2.8	3.2	3.9

\* この目安表は計算値です。実際の田植機には設定のない欄があります。

**流星1キロ粒剤 こまきちゃんSCS-30(井関)散布目安表**

条間: 30cm

目盛り表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数		16	18	20	24	28
4 条植	株間	株/坪	目盛り	目盛り	目盛り	目盛り
	30	37		2.9	3.5	
	26	42		2.5	3.0	
	23	48		2.2	2.7	
	22	50		2.1	2.5	
	18	61		1.7	2.1	
	16	69		1.5	1.8	
	14	79		1.3	1.6	
5 条植	30	37	2.9	3.3	3.6	4.4
	26	42	2.5	2.8	3.1	3.8
	23	48	2.2	2.5	2.8	3.3
	22	50	2.1	2.4	2.6	3.2
	18	61	1.7	1.9	2.1	2.6
	16	69	1.5	1.7	1.9	2.3
	14	79	1.3	1.5	1.7	2.0
6 条植	30	37	3.5	3.9	4.4	5.3
	26	42	3.0	3.4	3.8	4.6
	23	48	2.7	3.0	3.3	4.0
	22	50	2.5	2.9	3.2	3.8
	18	61	2.1	2.3	2.6	3.1
	16	69	1.8	2.1	2.3	2.8
	14	79	1.6	1.8	2.0	2.4
7 条植	30	37	4.1	4.6	5.1	6.2
	26	42	3.5	4.0	4.4	5.3
	23	48	3.1	3.5	3.9	4.7
	22	50	3.0	3.4	3.7	4.5
	18	61	2.4	2.7	3.0	3.7
	16	69	2.1	2.4	2.7	3.2
	14	79	1.9	2.1	2.3	2.8
8 条植	30	37	4.7	5.3	5.9	7.1
	26	42	4.0	4.6	5.1	6.1
	23	48	3.6	4.0	4.5	5.4
	22	50	3.4	3.8	4.3	5.2
	18	61	2.8	3.1	3.5	4.2
	16	69	2.5	2.8	3.1	3.7
	14	79	2.1	2.4	2.7	3.2

\* この目安表は計算値です。実際の田植機には設定のない欄があります。

## 流星1キロ粒剤 SCS-100散布目安表

目盛り表の目盛りは最初に散布量を確認するための目安としてください。

	5条	6条	7条	8条
株間	目盛り	目盛り	目盛り	目盛り
Free	4.2	5.0	5.9	6.7

## 流星1キロ粒剤 ヤンマーPSR 散布目安表

目盛り表の目盛りは最初に散布量を確認するための目安としてください。

株間cm	30	28	26	24	22	20	18	16	13	12
株数/坪	37	40	43	45	50	55	60	70	80	90
4条植	3.2	2.9	2.7	2.5	2.3	2.1	1.9	1.6	1.4	1.2
5条植	4.0	3.7	3.4	3.2	2.9	2.6	2.4	2.0	1.7	1.5
6条植	4.9	4.5	4.2	4.0	3.5	3.2	2.9	2.5	2.1	1.9
7条植	5.7	5.3	4.9	4.7	4.2	3.8	3.4	2.9	2.5	2.2
8条植	6.6	6.1	5.6	5.4	4.8	4.3	4.0	3.3	2.9	2.6

流星1キロ粒剤 イノベーターⅡ MGT-800A 散布目安表

目盛り表の目盛りは最初に散布量を確認するための目安としてください。

横取り回数		16	18	20	22	24	26	28	30	
株間	株/坪	目盛り								
		30	37	2.4	2.7	3.1	3.4	3.7	4.0	4.3
4 条植	28	40	2.2	2.5	2.9	3.2	3.5	3.8	4.0	4.3
	26	42	2.1	2.3	2.6	2.9	3.2	3.5	3.8	4.0
	25	45	2.0	2.2	2.5	2.8	3.1	3.3	3.6	3.9
	22	50	1.7	2.0	2.2	2.4	2.7	2.9	3.2	3.4
	18	60	1.3	1.5	1.7	1.9	2.1	2.3	2.5	2.7
	16	70	1.1	1.3	1.5	1.7	1.9	2.0	2.2	2.4
	14	80	0.9	1.1	1.2	1.4	1.6	1.7	1.9	2.1
	12	90	0.7	0.8	1.0	1.1	1.3	1.4	1.6	1.7
5 条植	30	37	3.1	3.5	3.9	4.3	4.6	5.0	5.3	5.7
	28	40	2.9	3.2	3.6	4.0	4.3	4.7	5.0	5.3
	26	42	2.6	3.0	3.3	3.7	4.0	4.3	4.7	5.0
	25	45	2.5	2.9	3.2	3.5	3.9	4.2	4.5	4.8
	22	50	2.2	2.5	2.8	3.1	3.4	3.7	4.0	4.3
	18	60	1.7	2.0	2.2	2.5	2.7	3.0	3.3	3.5
	16	70	1.5	1.7	2.0	2.2	2.4	2.6	2.9	3.1
	14	80	1.2	1.4	1.7	1.9	2.1	2.3	2.5	2.7
	12	90	1.0	1.2	1.4	1.5	1.7	1.9	2.1	2.2
6 条植	30	37	3.7	4.2	4.6	5.1	5.5	5.9	6.2	6.6
	28	40	3.5	3.9	4.3	4.7	5.1	5.5	5.9	6.2
	26	42	3.2	3.6	4.0	4.4	4.8	5.2	5.5	5.9
	25	45	3.1	3.5	3.9	4.2	4.6	5.0	5.3	5.6
	22	50	2.7	3.0	3.4	3.8	4.1	4.4	4.7	5.1
	18	60	2.1	2.4	2.7	3.0	3.3	3.6	3.9	4.2
	16	70	1.9	2.1	2.4	2.7	2.9	3.2	3.5	3.7
	14	80	1.6	1.8	2.1	2.3	2.5	2.8	3.0	3.3
	12	90	1.3	1.5	1.7	1.9	2.1	2.3	2.5	2.7
7 条植	30	37	4.3	4.9	5.3	5.8	6.2	6.7	7.1	7.5
	28	40	4.0	4.5	5.0	5.4	5.9	6.3	6.7	7.1
	26	42	3.8	4.2	4.7	5.1	5.5	5.9	6.3	6.7
	25	45	3.6	4.1	4.5	4.9	5.3	5.7	6.1	6.5
	22	50	3.2	3.6	4.0	4.4	4.7	5.1	5.5	5.8
	18	60	2.5	2.9	3.3	3.6	3.9	4.2	4.5	4.8
	16	70	2.2	2.5	2.9	3.2	3.5	3.8	4.0	4.3
	14	80	1.9	2.2	2.5	2.7	3.0	3.3	3.6	3.8
	12	90	1.6	1.8	2.1	2.3	2.5	2.8	3.0	3.3
8 条植	30	37	4.9	5.5	6.0	6.5	7.0	7.4	7.8	8.2
	28	40	4.6	5.1	5.6	6.1	6.6	7.0	7.4	7.8
	26	42	4.3	4.8	5.3	5.7	6.3	6.6	7.0	7.4
	25	45	4.1	4.6	5.1	5.6	6.0	6.4	6.8	7.2
	22	50	3.6	4.1	4.5	5.0	5.3	5.8	6.1	6.5
	18	60	2.9	3.3	3.7	4.1	4.4	4.8	5.1	5.5
	16	70	2.6	2.9	3.3	3.6	4.0	4.3	4.6	4.9
	14	80	2.2	2.5	2.9	3.2	3.5	3.8	4.0	4.3
	12	90	1.9	2.1	2.4	2.7	2.9	3.2	3.5	3.7
10 条植	30	37	6.0	6.6	7.2	7.7	8.2	8.6	9.0	9.4
	28	40	5.6	6.2	6.8	7.3	7.8	8.3	8.7	9.0
	26	42	5.3	5.9	6.4	6.9	7.4	7.8	8.3	7.7
	25	45	5.1	5.7	6.3	6.7	7.2	7.6	8.0	8.4
	22	50	4.5	5.1	5.6	6.0	6.5	6.9	7.3	7.7
	18	60	3.7	4.2	4.6	5.0	5.5	5.9	6.2	6.6
	16	70	3.3	3.7	4.1	4.5	4.9	5.3	5.6	6.0
	14	80	2.9	3.3	3.6	4.0	4.3	4.7	5.0	5.3
	12	90	2.4	2.7	3.1	3.4	3.7	4.0	4.3	4.6